

Stop taking Iron supplements and multivitamins.

an exeter health resource

7 Days

Prior to

Appt.

prep at the

pharmacy.

If you use our

patient portal to

appointments

our endoscopy

suite.

check upcoming

please disregard

☐ If you are taking blood thinners. such as Coumadin, vou will receive additional instructions guided by your prescribing physician.

the visit will

take 1 1/2 -2

hours.



cancellations

the prep. ☐ If you are unable to finish your prep or have not had a bowel movement three hours after drinking the evening dose, call the hospital at 603.778.7311 as soon as possible and ask for the GI nurse.

Starting at 6pm pour ONE bottle of

Suprep into the mixing container, add

water to the 16oz drinking line. Drink all

the liquid. Drink two more 8oz glasses of water within the next hour after drinking



Please *take* your morning medications with a sip of water at least two hours prior to your procedure time.

4 hours prior to your arrival time pour the second bottle of Suprep into the mixing container; add water to the 16oz drinking line. Drink all the liquid. Drink two more 8 oz glasses of water within the next hour after drinking the prep.

Stop drinking all liquids including the bowel prep 3 hours before you are due to arrive at the hospital.

No chewing gum or hard candy 3 hours prior to arrival.

Helpful Tips

- □ You will need to contact the doctor who prescribes your diabetic medications for pre procedure instructions.
- \Box Questions may be directed to (603)-580-7892.
- Please secure a ride home for the day of your procedure. You should plan to be there for 1.5-2 hours. You will need to make sure you confirm your ride, and your ride is available and reachable during your procedure time.
- □ You can try biting down on a lemon before drinking the prep to improve the taste.
- Drinking the Suprep cold and adding a Crystal Light flavor packet (not red) can improve the taste. Drink with a straw.
- □ To decrease discomfort around the perianal region, use wet wipes instead of toilet paper and apply Vaseline or A&D Ointment to the rectum.
- \Box If you wear contacts, you will be asked to remove them prior to the procedure.
- □ You will be asked to remove jewelry before your procedure and you should consider leaving valuables at home.
- Please check with your insurance carrier regarding their coverage of this procedure, a pre-authorization may be required.
- □ If you are within child-bearing age, you may be asked for a urine specimen prior to your procedure.